




HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Atlantic Intracoastal Waterway

Section 2
Tangent F

St. 0+00 - 50+00

Esri, TomTom, Garmin,
FAO, NOAA, USGS, EPA,
USFWS, Esri, ALCBCO,
Garmin, NAD 83, WGS 84

TYPICAL SECTION

M.L.L.W., NAD 83

PROJECT DEPTH

90'

NOT TO SCALE

SURVEY INFO

Survey Date: 06 November & 15 December 2025

Map Date: 16 December 2025

Scale: 1:2,000

Imagery Date: 14 April 2025

© 2025 Maxar Technologies

For the most up to date information please
check our website at: www.saw.usace.army.mil

Depth

4-6 6-7 7-8 8-10 10-12 12-14 >14

LEGEND

Aids to Navigation

Green Daybeacon

Red Daybeacon

Junction Marker

Green Light

Can

Nun

Danger Sign

Green Daybeacon

Red Daybeacon

Junction Marker

Green Light

Can

Nun

Danger Sign

Red Light

Green Lighted Buoy

Red Lighted Buoy

Mileboard

Matchlines

Navigation Channel

Placement Areas

Feet

160 80 0 160 320 480

The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325

DOCUMENT INFO

File Name: IC_02_TF1_20251215_AD

Surveyed by: LMT,DJD


Mapped by: KTOPNKMS

Processed by: KTOPNKMS

Survey Vessel: ROGERS

Survey Collected in: 200 KHZ

Tide Gauge: LIGHT 61



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA
Atlantic Intracoastal Waterway
Section 2
Tangent F
St. 50+00 - 100+00

NORTH CAROLINA

Esri, TomTom, Garmin, FAO, NOAA, USGS, EPA, USFWS, Esri, GEBCO, Garmin, NGA, SIO

TYPICAL SECTION
M.L.L.W., NAD 83
PROJECT
DEPTH
90'
NOT TO SCALE

SURVEY INFO
Survey Date: 15 December 2025
Map Date: 16 December 2025
Scale: 1:2,000
Imagery Date: 14 April 2025
© 2025 Maxar Technologies
For the most up to date information please check our website at: www.saw.usace.army.mil


Depth
4-6 6-7 7-8 8-10 10-12 12-14 >14

Feet
160 80 0 160 320 480

LEGEND
Aids to Navigation
Green Daybeacon
Red Daybeacon
Junction Marker
Green Light
Nun
Danger Sign
Red Light
Green Lighted Buoy
Red Lighted Buoy
Mileboard
Matchlines
Navigation Channel
Placement Areas

The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325

DOCUMENT INFO
File Name: IC_02_TF1_20251215_AD
Surveyed by: LMT,DJD
Mapped by: KTOPNKMS
Processed by: KTOPNKMS
Survey Vessel: ROGERS
Survey Collected in: 200 KHZ
Tide Gage: LIGHT 61



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA
Atlantic Intracoastal Waterway
**Section 2
Tangent F**
St. 100+00 - 150+00

Esri, TomTom, Garmin,
FAO, NOAA, USGS, EPA,
USFWS, Esri, CUBCO,
Garmin, NGS, a1Wac

TYPICAL SECTION
M.L.L.W., NAD 83
PROJECT
DEPTH
90'
NOT TO SCALE

SURVEY INFO
Survey Date: 15 December 2025
Map Date: 16 December 2025
Scale: 1:2,000
Imagery Date: 14 April 2025
© 2025 Maxar Technologies
For the most up to date information please
check our website at: www.saw.usace.army.mil


Depth
4-6 6-7 7-8 8-10 10-12 12-14 >14

Feet
160 80 0 160 320 480

LEGEND
Aids to Navigation
Can
Nun
Danger Sign
Green Daybeacon
Red Daybeacon
Junction Marker
Green Light
Red Light
Green Lighted Buoy
Red Lighted Buoy
Mileboard
Matchlines
Navigation Channel
Placement Areas

The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325

DOCUMENT INFO
File Name: IC_02_TF1_20251215_AD
Surveyed by: LMT,DJD
Mapped by: KTOPNKMS
Processed by: KTOPNKMS
Survey Vessel: ROGERS
Survey Collected in: 200 KHZ
Tide Gauge: LIGHT 61




HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Atlantic Intracoastal Waterway

**Section 2
Tangent F**

St. 150+00 - 200+00



SURVEY INFO

Survey Date: 22 October & 15 December 2025

Map Date: 16 December 2025

Scale: 1:2,000

Imagery Date: 14 April 2025

© 2025 Maxar Technologies

For the most up to date information please check our website at: www.saw.usace.army.mil

Depth

4 6 7 8 10 12 14

Feet

160 80 0 160 320 480

LEGEND

Aids to Navigation

- Green Daybeacon
- Red Daybeacon
- Junction Marker
- Green Light
- Can
- Nun
- Danger Sign
- Red Light
- Green Lighted Buoy
- Red Lighted Buoy
- Mileboard
- Matchlines
- Navigation Channel
- Placement Areas

The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325

DOCUMENT INFO

File Name: IC_02_TF1_20251215_AD

Surveyed by: LMT,DJD

Mapped by: KTOPNKMS

Processed by: KTOPNKMS

Survey Vessel: ROGERS

Survey Collected in: 200 KHZ

Tide Gauge: LIGHT 61



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Atlantic Intracoastal Waterway

**Section 2
Tangent F**

St. 200+00 - 250+00

NORTH CAROLINA

Esri, TomTom, Garmin, FAO, NOAA, USGS, EPA, USFWS, Esri, CIBCO, Garmin, NGA, etc.

TYPICAL SECTION

M.L.L.W., NAD 83

PROJECT

DEPTH

90'

NOT TO SCALE

SURVEY INFO

Survey Date: 22 October 2025

Map Date: 16 December 2025

Scale: 1:2,000

Imagery Date: 14 April 2025

© 2025 Maxar Technologies

For the most up to date information please check our website at: www.saw.usace.army.mil

Depth

4-6 6-7 7-8 8-10 10-12 12-14 >14

LEGEND

Aids to Navigation

- Green Daybeacon
- Red Daybeacon
- Junction Marker
- Green Light
- Can
- Nun
- Danger Sign
- Red Light
- Green Lighted Buoy
- Red Lighted Buoy
- Mileboard
- Matchlines
- Navigation Channel
- Placement Areas

The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325

DOCUMENT INFO

File Name: IC_02_TF1_20251215_AD

Surveyed by: LMT,DJD

Mapped by: KTOPNKMS

Processed by: KTOPNKMS


Survey Vessel: ROGERS

Survey Collected in: 200 KHZ


Tide Gauge: LIGHT 61



HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA
Atlantic Intracoastal Waterway
**Section 2
Tangent F**
St. 250+00 - 299+69.77



Survey Date: 22 October 2025
Map Date: 16 December 2025
Scale: 1:2,000
Imagery Date: 14 April 2025
© 2025 Maxar Technologies
For the most up to date information please
check our website at: www.saw.usace.army.mil



The information depicted on this survey map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here. Required by 33 CFR 209.325

DOCUMENT INFO
File Name: IC_02_TF1_20251215_AD
Surveyed by: LMT,DJD
Mapped by: KTOPNKMS
Processed by: KTOPNKMS
Survey Vessel: ROGERS
Survey Collected in: 200 KHZ
Tide Gage: LIGHT 61