





WAYPOINTS

Project *	Survey Date	SPF_X	SPF_Y	DMS_X	DMS_Y
AIWW / CFRLR / T11 / Waypoint 1	2019-12-05	2233958	63433	78° 13' 44.116" W	33° 55' 18.422" N
AIWW / CFRLR / T11 / Waypoint 2	2019-12-05	2233328	63265	78° 13' 51.597" W	33° 55' 16.809" N
AIWW / CFRLR / T11 / Waypoint 3	2019-12-05	2232452	63475	78° 14' 1.969" W	33° 55' 18.949" N
AIWW / CFRLR / T11 / Waypoint 4	2019-12-05	2231546	63322	78° 14' 12.735" W	33° 55' 17.507" N
AIWW / CFRLR / T11 / Waypoint 5	2019-12-05	2231225	63171	78° 14' 16.558" W	33° 55' 16.036" N
AIWW / CFRLR / T11 / Waypoint 6	2019-12-05	2231125	62920	78° 14' 17.770" W	33° 55' 13.564" N
AIWW / CFRLR / T11 / Waypoint 7	2019-06-06	2226636	62196	78° 15' 11.088" W	33° 55' 6.737" N
Lockwoods Folly Inlet Waypoint 1	2019-12-02	2230264	57858	78° 14' 28.441" W	33° 54' 23.562" N
Lockwoods Folly Inlet Waypoint 2	2019-12-02	2230486	59460	78° 14' 25.660" W	33° 54' 39.387" N
Lockwoods Folly Inlet Waypoint 3	2019-12-02	2231463	60645	78° 14' 13.971" W	33° 54' 51.039" N
Lockwoods Folly Inlet Waypoint 4	2019-10-31	2231325	62650	78° 14' 15.415" W	33° 55' 10.874" N
Lockwoods Folly Inlet Waypoint 5	2019-10-31	2231125	62920	78° 14' 17.770" W	33° 55' 13.564" N

LEGEND

Aids to Navigation

- Can
- Nun
- Green Lighted Buoy
- Red Lighted Buoy
- Junction Marker

Depth In Feet



- 4 and Shallower
- 6 - 4
- 7 - 6
- 8 - 7
- 10 - 8
- 12 - 10
- 14 - 12
- 15 - 14
- 15 and Deeper

Waypoints

- Waypoint Lines
- Navigation Channel
- Placement Areas



US Army Corps of Engineers
Wilmington District



SURVEY DATE: 06 JUNE, 30 SEPTEMBER, 02 & 05-06 DECEMBER, 2019	SURVEYED BY: LMT, SRV, WJC, JBD
MAP DATE: 09 DECEMBER 2019	MAPPED BY: KTOPNDJM
MAP SCALE: 1:3,600	PROCESSED BY: KTOPNDJM
IMAGERY DATE: 09 AUGUST 2019	
© 2019 DIGITALGLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_20191205_BD



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

**Lockwoods Folly Inlet
& AIWW Crossing**

OAK ISLAND, NORTH CAROLINA

- NOTES:
- ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.
 - PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT", USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
 - HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.
 - TIDE GAGE LOCATED AT: LIGHT 48A. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDAL VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.
 - THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
 - THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
 - NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL, ACCURACY +/- 3 METERS.
 - FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL



WAYPOINTS					
Project *	Survey Date	SPF_X	SPF_Y	DMS_X	DMS_Y
AIWW / CFRLR / T11 / Waypoint 1	2019-09-30	2233958	63433	78° 13' 44.116" W	33° 55' 18.422" N
AIWW / CFRLR / T11 / Waypoint 2	2019-09-30	2233328	63265	78° 13' 51.597" W	33° 55' 16.809" N
AIWW / CFRLR / T11 / Waypoint 3	2019-09-30	2232452	63475	78° 14' 1.969" W	33° 55' 18.949" N
AIWW / CFRLR / T11 / Waypoint 4	2019-09-30	2231546	63322	78° 14' 12.735" W	33° 55' 17.507" N
AIWW / CFRLR / T11 / Waypoint 5	2019-09-30	2231225	63171	78° 14' 16.558" W	33° 55' 16.036" N
AIWW / CFRLR / T11 / Waypoint 6	2019-09-30	2231125	62920	78° 14' 17.770" W	33° 55' 13.564" N
AIWW / CFRLR / T11 / Waypoint 7	2019-06-06	2226636	62196	78° 15' 11.088" W	33° 55' 6.737" N
Lockwoods Folly Inlet Waypoint 1	2019-10-31	2230264	57858	78° 14' 28.441" W	33° 54' 23.562" N
Lockwoods Folly Inlet Waypoint 2	2019-10-31	2230486	59460	78° 14' 25.660" W	33° 54' 39.387" N
Lockwoods Folly Inlet Waypoint 3	2019-10-31	2231463	60645	78° 14' 13.971" W	33° 54' 51.039" N
Lockwoods Folly Inlet Waypoint 4	2019-10-31	2231325	62650	78° 14' 15.415" W	33° 55' 10.874" N
Lockwoods Folly Inlet Waypoint 5	2019-10-31	2231125	62920	78° 14' 17.770" W	33° 55' 13.564" N

LEGEND

Aids to Navigation

- Can
- Nun
- Green Lighted Buoy
- Red Lighted Buoy
- Junction Marker

- Green Light
- Red Light
- Green Daybeacon
- Red Daybeacon
- Danger Sign
- Mileboard
- Tide Gage

Depth In Feet

- 4 and Shallower
- 6 - 4
- 7 - 6
- 8 - 7
- 10 - 8
- 12 - 10
- 14 - 12
- 15 - 14
- 15 and Deeper

- Waypoints
- Waypoint Lines
- Matchlines
- Navigation Channel
- Placement Areas

US Army Corps of Engineers
Wilmington District

NORTH CAROLINA

Lockwoods Folly Inlet

SURVEY DATE: 06 JUNE; 30 SEPTEMBER; 31 OCTOBER, 2019	SURVEYED BY: LMT, SRV
MAP DATE: 01 NOVEMBER 2019	MAPPED BY: K7OPNDJM
MAP SCALE: 1:3,600	PROCESSED BY: K7OPNDJM
IMAGERY DATE: 09 AUGUST 2019	
© 2019 DIGITALGLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_2019031_BD

HYDROGRAPHIC SURVEY



U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Lockwoods Folly Inlet & AIWW Crossing

OAK ISLAND, NORTH CAROLINA

NOTES:

- ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.
- PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT", USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
- HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.
- TIDE GAGE LOCATED AT: LIGHT 48A. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDAL VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.
- THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
- NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL, ACCURACY +/- 3 METERS.
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL



WAYPOINTS					
Project *	Survey Date	SPF_X	SPF_Y	DMS_X	DMS_Y
AIWW / CFRLR / T11 / Waypoint 1	2019-09-30	2233958	63433	78° 13' 44.116" W	33° 55' 18.422" N
AIWW / CFRLR / T11 / Waypoint 2	2019-09-30	2233328	63265	78° 13' 51.597" W	33° 55' 16.809" N
AIWW / CFRLR / T11 / Waypoint 3	2019-09-30	2232452	63475	78° 14' 1.969" W	33° 55' 18.949" N
AIWW / CFRLR / T11 / Waypoint 4	2019-09-30	2231546	63322	78° 14' 12.735" W	33° 55' 17.507" N
AIWW / CFRLR / T11 / Waypoint 5	2019-09-30	2231225	63171	78° 14' 16.558" W	33° 55' 16.036" N
AIWW / CFRLR / T11 / Waypoint 6	2019-09-30	2231125	62920	78° 14' 17.770" W	33° 55' 13.564" N
AIWW / CFRLR / T11 / Waypoint 7	2019-06-06	2226636	62196	78° 15' 11.088" W	33° 55' 6.737" N
Lockwoods Folly Inlet Waypoint 1	2019-09-30	2230397	57867	78° 14' 26.870" W	33° 54' 23.643" N
Lockwoods Folly Inlet Waypoint 2	2019-09-30	2230486	59460	78° 14' 25.660" W	33° 54' 39.387" N
Lockwoods Folly Inlet Waypoint 3	2019-09-30	2231993	60558	78° 14' 14.806" W	33° 54' 50.181" N
Lockwoods Folly Inlet Waypoint 4	2019-09-30	2231484	60850	78° 14' 13.701" W	33° 54' 53.063" N
Lockwoods Folly Inlet Waypoint 5	2019-09-30	2231325	62650	78° 14' 15.415" W	33° 55' 10.874" N
Lockwoods Folly Inlet Waypoint 6	2019-09-30	2231125	62920	78° 14' 17.770" W	33° 55' 13.564" N

LEGEND

Aids to Navigation

- Can
- Nun
- Green Lighted Buoy
- Red Lighted Buoy
- Junction Marker

Depth In Feet

- 4 and Shallower
- 6 - 4
- 7 - 6
- 8 - 7
- 10 - 8
- 12 - 10
- 14 - 12
- 15 - 14
- 15 and Deeper

Waypoints

- Waypoint Lines
- Matchlines
- Navigation Channel
- Placement Areas

US Army Corps of Engineers
Wilmington District

NORTH CAROLINA

SURVEY DATE: 30 SEPTEMBER 2019	SURVEYED BY: LMT, SRV
MAP DATE: 02 OCTOBER 2019	MAPPED BY: KTOPNDJM
MAP SCALE: 1:3,600	PROCESSED BY: KTOPNDJM
IMAGERY DATE: 09 AUGUST 2019	
© 2019 DIGITAL GLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_20190930_CS



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Lockwoods Folly Inlet & AIWW Crossing

OAK ISLAND, NORTH CAROLINA

- NOTES:
- ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.
 - PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT", USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
 - HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.
 - TIDE GAGE LOCATED AT: WALT. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDAL VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.
 - THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
 - THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325
 - NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL, ACCURACY +/- 3 METERS.
 - FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL



US Army Corps
of Engineers
Wilmington District



SURVEY DATE: 24 MAY; 06 & 26 JUNE 2019	SURVEYED BY: LMT, WJC, SRV, JBD
	MAPPED BY: KTOPNDJM
	PROCESSED BY: KTOPNDJM
	MAP FILE NAME: IN_10_LFI_20190626_AD



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

**Lockwoods Folly Inlet
& AIWW Crossing**

OAK ISLAND, NORTH CAROLINA

- NOTES:
- ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.
 - PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT", USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
 - HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.
 - TIDE GAGE LOCATED AT LIGHT 48A. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDE VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.
 - THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
 - THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325.
 - NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL, ACCURACY +/- 3 METERS.
 - FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL



WAYPOINTS					
Project *	Survey Date	SPF_X	SPF_Y	DMS_X	DMS_Y
AIWW / CFRLR / T11 / Waypoint 1	2019-05-24	2233958	63433	78° 13' 44.116" W	33° 55' 18.422" N
AIWW / CFRLR / T11 / Waypoint 2	2019-05-24	2231630	63087	78° 14' 11.768" W	33° 55' 15.181" N
AIWW / CFRLR / T11 / Waypoint 3	2019-05-24	2231161	62957	78° 14' 17.343" W	33° 55' 13.924" N
AIWW / CFRLR / T11 / Waypoint 4	2019-05-24	2226637	62194	78° 15' 11.085" W	33° 55' 6.717" N
Lockwoods Folly Inlet Waypoint 1	2019-05-24	2230276	57905	78° 14' 28.233" W	33° 54' 24.024" N
Lockwoods Folly Inlet Waypoint 2	2019-05-24	2230774	59698	78° 14' 22.228" W	33° 54' 41.717" N
Lockwoods Folly Inlet Waypoint 3	2019-05-24	2231105	60323	78° 14' 18.244" W	33° 54' 47.877" N
Lockwoods Folly Inlet Waypoint 4	2019-05-24	2231359	61068	78° 14' 15.167" W	33° 54' 55.230" N
Lockwoods Folly Inlet Waypoint 5	2019-05-24	2231325	62593	78° 14' 15.425" W	33° 55' 10.310" N
Lockwoods Folly Inlet Waypoint 6	2019-05-24	2231161	62957	78° 14' 17.343" W	33° 55' 13.924" N

LEGEND

Aids to Navigation

- Can
- Nun
- Green Lighted Buoy
- Red Lighted Buoy
- Junction Marker

Depth In Feet

- 4 and Shallower
- 6 - 4
- 7 - 6
- 8 - 7
- 10 - 8
- 12 - 10
- 14 - 12
- 15 - 14
- 15 and Deeper

Waypoints

- Waypoint Lines
- Matchlines
- Navigation Channel
- Placement Areas

NOTES:

- ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.
- PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT", USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
- HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.
- TIDE GAGE LOCATED AT LIGHT 48A. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDAL VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.
- THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
- THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325.
- NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL, ACCURACY +/- 3 METERS.
- FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL

US Army Corps of Engineers
Wilmington District

NORTH CAROLINA

Wilmington
Morehead City
ATLANTIC OCEAN

Lockwoods Folly Inlet

Wilmington
ATLANTIC OCEAN


SURVEY DATE: 10 DECEMBER 2018; 24 MAY 2019	SURVEYED BY: LMT, SRV
MAP DATE: 28 MAY 2019	MAPPED BY: KTOPNDJM
MAP SCALE: 1:3,600	PROCESSED BY: KTOPNDJM
IMAGERY DATE: 06 MAY 2019	
© 2019 DIGITALGLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_20190524_BD

HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Lockwoods Folly Inlet
& AIWW Crossing

OAK ISLAND, NORTH CAROLINA





**US Army Corps
of Engineers**
Wilmington District

NORTH CAROLINA



Wilmington
Morehead City
ATLANTIC OCEAN



Lockwoods Folly Inlet
Wilmington
ATLANTIC OCEAN

SURVEY DATE: 10 DECEMBER 2018; 29 JANUARY, 5 & 29 MARCH 2019	SURVEYED BY: LMT, SRV
MAP DATE: 01 APRIL 2019	MAPPED BY: K7DPDPSGD
MAP SCALE: 1:3,600	PROCESSED BY: K7OPNDJM
IMAGERY DATE: 02 FEBRUARY 2019	
© 2019 DIGITAL GLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_20190329_AD


HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

**Lockwoods Folly Inlet
& AIWW Crossing**

OAK ISLAND, NORTH CAROLINA

WAYPOINTS					
Project *	Survey Date	SPF_X	SPF_Y	DMS_X	DMS_Y
AIWW / CFRLR / T11 / Waypoint 1	2019-03-29	2233958	63433	78° 13' 44.116" W	33° 55' 18.422" N
AIWW / CFRLR / T11 / Waypoint 2	2019-03-29	2231161	62957	78° 14' 17.343" W	33° 55' 13.924" N
AIWW / CFRLR / T11 / Waypoint 3	2019-03-29	2228637	62194	78° 15' 11.085" W	33° 55' 6.717" N
Lockw oods Folly Inlet Waypoint 1	2019-03-01	2230207	51927	78° 14' 29.111" W	33° 54' 24.248" N
Lockw oods Folly Inlet Waypoint 2	2019-03-01	2231353	61286	78° 14' 15.218" W	33° 54' 57.388" N
Lockw oods Folly Inlet Waypoint 3	2019-03-01	2231325	62593	78° 14' 15.425" W	33° 55' 10.310" N
Lockw oods Folly Inlet Waypoint 4	2019-03-29	2231161	62957	78° 14' 17.343" W	33° 55' 13.924" N





**US Army Corps
of Engineers**
Wilmington District

NORTH CAROLINA



Wilmington
Morehead City
ATLANTIC OCEAN



Lockwoods Folly Inlet
Wilmington
ATLANTIC OCEAN

SURVEY DATE: 10 DECEMBER 2018, 28-30 JANUARY & 19 FEBRUARY 2019	SURVEYED BY: LMT, SRV
MAP DATE: 20 FEBRUARY 2019	MAPPED BY: KTOPNDJM
MAP SCALE: 1:3,600	PROCESSED BY: KTOPNDJM
IMAGERY DATE: 02 FEBRUARY 2019	
© 2019 DIGITALGLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_20190219_OT



HYDROGRAPHIC SURVEY

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA


**Lockwoods Folly Inlet
& AIWW Crossing**

OAK ISLAND, NORTH CAROLINA

- NOTES:
- ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.
 - PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT", USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.
 - HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.
 - TIDE GAGE LOCATED AT N/A. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDAL VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.
 - THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.
 - THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325.
 - NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL, ACCURACY +/- 3 METERS.
 - FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL



WAYPOINTS					
Project *	Survey Date	SPF_X	SPF_Y	DMS_X	DMS_Y
AIWW / CFRLR / T11 / Waypoint 1	2019-01-29-30	2233958	63433	78° 13' 44.116" W	33° 55' 18.422" N
AIWW / CFRLR / T11 / Waypoint 2	2019-01-29-30	2232927	63228	78° 13' 56.357" W	33° 55' 16.473" N
AIWW / CFRLR / T11 / Waypoint 3	2019-01-29-30	2232029	63454	78° 14' 6.997" W	33° 55' 18.771" N
AIWW / CFRLR / T11 / Waypoint 4	2019-01-29-30	2231271	63192	78° 14' 16.014" W	33° 55' 16.243" N
AIWW / CFRLR / T11 / Waypoint 5	2019-01-29-30	2231127	62862	78° 14' 17.750" W	33° 55' 12.990" N
AIWW / CFRLR / T11 / Waypoint 6	2019-01-29-30	2230019	62759	78° 14' 30.903" W	33° 55' 12.057" N
AIWW / CFRLR / T11 / Waypoint 7	2018-12-10	2226637	62194	78° 15' 11.085" W	33° 55' 6.717" N
Lockwoods Folly Inlet / Waypoint 1	2019-01-29-30	2230207	57927	78° 14' 29.111" W	33° 54' 24.248" N
Lockwoods Folly Inlet / Waypoint 2	2019-01-29-30	2230671	59456	78° 14' 23.470" W	33° 54' 39.335" N
Lockwoods Folly Inlet / Waypoint 3	2019-01-29-30	2230791	60096	78° 14' 21.985" W	33° 54' 45.656" N
Lockwoods Folly Inlet / Waypoint 4	2019-01-29-30	2231268	60405	78° 14' 16.302" W	33° 54' 48.678" N
Lockwoods Folly Inlet / Waypoint 5	2019-01-29-30	2231325	62593	78° 14' 15.425" W	33° 55' 10.310" N
Lockwoods Folly Inlet / Waypoint 6	2019-01-29-30	2231127	62862	78° 14' 17.750" W	33° 55' 12.990" N



NOTES:

1. ELEVATIONS ARE IN FEET AND REFER TO NOAA'S REPORTED MEAN LOWER LOW WATER (MLLW) RELATIVE TO THE 1983-2001 TIDAL EPOCH.

2. PROJECT SURVEYED WITH DISTRICT SURVEY VESSEL "WALT" * USING RTK GPS HORIZONTAL POSITIONING EQUIPMENT AND 200 KHZ SOUNDING EQUIPMENT.

3. HORIZONTAL DATUM NAD 1983. VERTICAL DATUM M.L.L.W.

4. TIDE GAGE LOCATED AT DAY BEACON 46. USE OF TIDE VALUES FOR THIS GAGE ARE RESTRICTED TO QUALITY ASSURANCE PURPOSES FOR VERIFICATION OF RTK TIDES. THE WILMINGTON DISTRICT WILL ONLY USE STAFF GAGE TIDE VALUES FOR FINAL MAPPING AND QUANTITY CALCULATIONS IF RTK GPS IS UNAVAILABLE AT THE TIME OF SURVEY.

5. THIS PROJECT WAS DESIGNED BY THE WILMINGTON DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS AND SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER1110-1-8152.

6. THE INFORMATION DEPICTED ON THIS SURVEY MAP REPRESENTS THE RESULTS OF SURVEYS MADE ON THE DATES INDICATED AND CAN ONLY BE CONSIDERED AS INDICATING THE GENERAL CONDITIONS EXISTING AT THAT TIME. THESE CONDITIONS ARE SUBJECT TO RAPID CHANGE DUE TO SHOALING EVENTS. A PRUDENT MARINER SHOULD NOT RELY EXCLUSIVELY ON THE INFORMATION PROVIDED HERE. REQUIRED BY 33 CFR 209.325.

7. NAVIGATION AIDS LOCATED WITH DISTRICT SURVEY VESSEL. ACCURACY +/- 3 METERS.

8. FOR THE MOST UP TO DATE INFORMATION PLEASE CHECK OUR WEBSITE AT: WWW.SAW.USACE.ARMY.MIL.

LEGEND

Aids to Navigation

Can

Nun

Green Lighted Buoy

Red Lighted Buoy

Junction Marker

Green Light

Red Light

Green Daybeacon

Red Daybeacon

Danger Sign

Mileboard

Tide Gage

Depth In Feet

4 and Shallower

6 - 4

7 - 6

8 - 7

10 - 8

12 - 10

14 - 12

15 - 14

15 and Deeper

Waypoints

Waypoint Lines

Navigation Channel

US Army Corps of Engineers
Wilmington District

NORTH CAROLINA

Wilmington
Morehead City
ATLANTIC OCEAN

Lockwoods Folly Inlet
Wilmington
ATLANTIC OCEAN

SURVEY DATE: 29-30 JANUARY 2019	SURVEYED BY: LMT, SRV
MAP DATE: 31 JANUARY 2019	MAPPED BY: K7PDPSGD
MAP SCALE: 1:3,600	PROCESSED BY: K7PDPSGD
IMAGERY DATE: 06 OCTOBER 2018	
© 2018 DIGITALGLOBE NEXTVIEW LICENSE	MAP FILE NAME: IN_10_LFI_20190129_BD

HYDROGRAPHIC SURVEY
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
WILMINGTON, NORTH CAROLINA

Lockwoods Folly Inlet & AIWW Crossing
OAK ISLAND, NORTH CAROLINA